





SUPER TORY® S2220 | Advanced Newborn Patient Simulator

Active limb motion, true ventilator support, real monitoring, and mobile.


These are just a few of the innovative new features which allow SUPER TORY to simulate complex pathologies and respond to interventions with unparalleled realism.

- Full-term newborn: 8 lbs. 21 in.
- Wireless and tetherless: up to 8 hours
- Smooth and supple full-body skin
- Crying and grunting
- Programmable movement
- » Blinking rate, eyes opened/closed
- » Mouth: gasping and clenching
- » Arm, leg, and wrist flexion and extension
- » Seizures: single limb, unilateral, or full-body movement
- Dynamic lung compliance
- Heart and lung sounds and palpable pulses
- Includes 10 Simulation Learning Experiences[™] scenarios











Pulses: fontanel, brachial, umbilical, and femoral

Neonatal resuscitation and stabilization



Real mechanical ventilator and patient monitor support



Internal and external critical care transport



SUPER TORY® S2220 | Advanced Newborn Patient Simulator

True-to-life neonatal resuscitation and stabilization scenarios.

SUPER TORY introduces a new level of anatomical and physiological fidelity that allows participants to rehearse advanced-level algorithms without compromising technique or clinical guidelines.

- Anatomically accurate oral cavity and airway
- Intubation depth and neck hyperextension/flexion detection
- · Visible chest rise following guideline-recommended flow, PIP, and PEEP values
- SpO₂ and EtCO₂ monitoring using real sensors
- eCPR[™] Real-time quality feedback and reporting
- » Compression depth, rate, and interruption duration
- » Ventilation rate and duration
- » Smart CPR voice coach
- » Performance report summary
- Defibrillate, cardiovert, and pace using real devices and energy
- Multiple vascular access sites











Hand and scalp IV, tibial IO



Continuous UAC/UVC infusion



Pre- and post-ductal SpO2

Train handoffs and transport in real environments.

Transport, handoffs, NICU evac drills, and more, SUPER TORY remains fully functional in transit thanks to its extra-long battery life and proven wireless technology.

- · Wireless control at distances up to 100 ft.
- Internal rechargeable battery provides up to 8 hrs. of tetherless operation



SUPER TORY® S2220 | Advanced Newborn Patient Simulator

A leap in NICU simulation. True ventilator support. And much more.

The breakthrough respiratory system design in SUPER TORY accurately responds to mechanical ventilation support like a real newborn, while making it possible to adjust pulmonary function on the fly. Simply tap the UNI® controls to decrease lung compliance and see the change from uniform chest rise, visible with as little as 15 cmH₂O, to the high recoil associated with stiff lungs. These advanced features allow SUPER TORY to simulate the course of respiratory disease through treatment, weaning, and rehabilitation with the highest degree of physiological accuracy.

- Modes supported include: ACV, SIMV, CPAP, PCV, PSV, NIPPV
- Programmable respiratory patterns, retractions, "see-saw" breathing, and abdominal distension
- Supports therapeutic levels of PEEP
- Programmable airway and lung function
- Dynamic lung compliance
- » Bilateral bronchi resistance
- » Respiratory effort triggers ventilator during weaning



Sunken, bulging, and normal





Programmable retractions, "see-saw" breathing





SUPER TORY features bilateral, midaxillary surgical sites for needle decompression and chest tube insertion exercises.

- Palpable bony landmarks
- Realistic skin supports cutting and suturing
- Sites bleed when cut and release fluid upon tube insertion
- Tactile pleural "pop"



patient monitoring support allows participants to set up and operate real equipment, interpret real-time data, and follow protocols just as they would in real situations.

- ECG monitoring
- ECG-derived respiration monitoring
- Pre- and post-ductal SpO₂ monitoring
- Oscillometric NIBP
- · Live pacing and defibrillation
- Capnography





UNI® offers all the tools to deliver a rich simulation experience in one intuitive interface.

UNI features precise physiological touch-based controls, task automation, real-time feedback, and automatic data capture tools designed to operate seamlessly during even the most complex scenarios.



Preconfigured and ready

The SUPER TORY package includes a powerful tablet PC preconfigured with the intuitive UNI simulator control interface.

Optimized for on-the-fly controls

The UNI touchscreen interface lets you quickly and easily adjust vital sign parameters with just a few taps.

3D patient visualization monitor

This real-time 3D view of the patient ensures you never lose track of provider/patient interaction during the simulation.

Automatic operating mode

UNI's engine calculates physiologic responses to caregiver or operator actions, pharmacologic intervention, and cardiopulmonary events, thereby increasing fidelity and reducing input from the operator.

Scenario designer

Create your own scenarios quickly and easily and share them with other UNI users.

eCPR™

Monitor rate and compression depth, no-flow time, ventilation rate, and excessive ventilation the smart trainer features vocal cues and outputs performance report.

Lab report designer

Generate and share simulated diagnostic lab results to enhance case fidelity and participant involvement

Includes SUPER TORY Simulation Learning Experiences.



The new SUPER TORY® Neonatal Care Simulation Learning Experiences (SLEs) provide you with a library of ready-touse, evidence-based scenarios designed to help you maximize participant's learning through outcome-focused simulated clinical patient encounters.

The package includes 10 SLEs complete with a facilitator's guidebook for planning, setting up, and facilitating each learning experience:

- Acute Respiratory Distress Syndrome
- Bronchopulmonary Dysplasia with Pulmonary Hypertension
- Diaphragmatic Hernia
- Drug-Exposed Infant/ Neonatal Abstinence Syndrome
- Early-Onset Sepsis
- · Hyperbilirubinemia
- · Late-Onset Sepsis
- Nuchal Cord
- Pneumonia
- · Shoulder Dystocia

Questionnaire form designer

Manage progress by easily creating interactive checklists to track participant objectives and post-simulation feedback.

Time-stamped event recording and reporting

The automated event tracking and interaction recorder ensures important events are always captured so you can focus on the action.

Provider actions tracker

The interactive "Provider Actions" panel lets you carefully track team and individual provider actions to generate a comprehensive post-simulation log.

UNI control view replay

The built-in recorder captures UNI's screen as data to allow your team to review the simulation from the operator's chair.

No annual software license fee

Gaumard is committed to providing the best value and keeping your program's operating costs down year after year.

Free software updates

Always stay up to date and take advantage of all the newest features at no additional cost.

Free webinar training and technical support

Sign up for our monthly webinar sessions and become a UNI expert.

SUPER TORY® S2220 | Advanced Newborn Patient Simulator

General

- Age: Full-term newborn
- Weight: 8 lbs., Length: 21 in.
- · Tetherless and wireless, fully responsive during transport
- Wireless control at distances of up to 100 ft.
- Internal rechargeable battery provides up to 8 hrs. of tetherless operation
- Smooth and supple full-body skin with seamless trunk and limb joints
- Programmable movements: blinking, mouth opening and closing, arm and leg flexion and extension
- · Realistic joint articulation: neck, shoulder, elbow, hip, and knee
- Forearm pronation and supination
- Lifelike umbilicus and post cord detachment navel
- Palpable bony landmarks
- Near-silent operation
- NOELLE® Fetus-Newborn wireless link capability
- Tablet PC preloaded with UNI® included
- Mouth movement
- Blinking eyes
- Seizures/convulsions
- Programmable muscle tone: active, reduced, and limp

Airway

- · Anatomically accurate oral cavity and airway
- Nasotracheal/orotracheal intubation (ETT, laryngeal airway)
- · Head tilt, chin lift, jaw thrust
- Supports esophageal intubation
- NG/OG tube placement
- Bag-valve-mask ventilation support
- Neck hyperextension and flexion airway obstruction with event capture and logging
- Intubation depth detection and software event log

Breathing

- Spontaneous breathing
- Variable respiratory rates and inspiratory/expiratory ratios
- Programmable unilateral chest rise and fall
- Lung sounds synchronized with respiratory rate
- · Programmable retractions, "see-saw" breathing

· Mechanical ventilation support

- » A/C, SIMV, CPAP, PCV, PSV, NIPPV
- » Supports PEEP (up to 20 cmH₂O)
- » Dynamic airway and lung controls
- » Variable lung compliance
- » Bilateral bronchi resistance
- Programmable respiratory efforts for weaning/liberation
- · Unilateral chest rise with right mainstem intubation (Automatic detection and logging)

- Real-time ventilation feedback
- Bilateral, midaxillary pneumothorax sites support needle decompression and chest tube insertion
- Pneumothorax sites feature palpable bony landmarks, realistic skin for cutting and suturing, bleeding, tactile pleural pop, and fluid drain
- · Visible chest rise during bagvalve-mask ventilation
- Supports EtCO2 monitoring using real sensors and monitoring devices

- Includes comprehensive library of ECG rhythms with customizable beat variations
- Supports ECG monitoring using real devices
- Supports ECG-derived respiration monitoring (EDR)
- eCPR[™] Real-time quality feedback and reporting:
- » Time to CPR, compression depth/rate, compression, interruptions, ventilation rate, smart CPR voice coach
- · Defibrillate, cardiovert, and pace using real devices and energy
- Effective chest compressions generate palpable femoral pulses and ECG activity
- Healthy and abnormal heart sounds
- Supports virtual pacing and defibrillation

Circulatory

- · Visible cyanosis, jaundice, paleness, and redness with variable intensities
- Supports manual capillary refill time assessment on the left foot (Automatic detection and logging)
- Programmable fontanel: depressed, normal, and bulging
- · Palpable pulses: brachial, femoral, and umbilical
- Pulse palpation event detection and logging
- Blood pressure-dependent pulses
- · Supports blood pressure monitoring using a real NIBP cuff
- Audible Korotkoff sounds
- Pre-ductal and post-ductal SpO₂ monitoring using real devices

Vascular Access

- IV cannulation: bolus. infusion, and sampling
- » Hand, scalp, and umbilicus
- Umbilical catheterization (UVC/UAC): continuous infusion and sampling
- Bilateral IO tibial infusion

Gastrointestinal

- Diaphragmatic hernia
- Programmable abdominal distension
- Urinary catheterization with return
- · Normal and abnormal bowel sounds

SUPER TORY® S2220



Package contents

SUPER TORY®, tablet PC preloaded with UNI® license, automatic mode license, Neonatal SLE™ courseware package. RF module, battery charger, defibrillation adapter, replacement IV lower arm, scalp IV site inserts, IO site inserts, pneumothorax inserts, umbilical cords, post cord detachment navel, CO2 adapter, carrying case, user manual, and one-year warranty (extended warranty plans available). Patented; other patents pending

Bedside virtual patient monitor

S2220.001.R2



Gaumard Vitals™ bedside virtual patient monitor. Simulates 20+ dynamic numerical parameters and waveforms. Customizable interface.

Mobile virtual patient monitor

S2220.002



Portable Gaumard Vitals™ virtual patient monitor. Simulates 20+ dvnamic

numerical parameters and waveforms. Customizable interface.

Neonatal Stabilization Scenario package based on The S.T.A.B.L.E.® Program

CD100

CARE IN MOTION™ MOBILE Video-assisted debriefing system

CIM.PK

Care In Motion Tablet PC, 3 Batterypowered HD wireless cameras. 3 adjustable camera grips, transport case, and one-year limited warranty (extended warranty plans available).







SUPER TORY® S2220 | Advanced Newborn Patient Simulator

Request a quote

Sales / customer service sales@gaumard.com

Website www.gaumard.com

Toll-Free USA & Canada Call 8:00 a.m. - 7:30 p.m. ET Monday - Friday 800.882.6655

Worldwide 305.971.3790

About Gaumard®

Gaumard is family owned and operated, and is the direct source for your health care education needs.

Place your order

By telephone or on-line at www.gaumard.com

We accept

VISA, MasterCard, American Express

Warranty

Gaumard products are covered by a one-year limited warranty. Terms and conditions apply. Please visit www.gaumard.com for details.

Technical support

Available 8:00 a.m. to 7:30 p.m. ET weekdays, or email us at support@gaumard.com Phone: 305.971.3790

Online support 24/7

Download articles, instructions, teaching tips. View instructional videos on demand.

Repair

Gaumard® offers repair services and parts. For more information visit www.gaumard.com



Leadership Through Innovation®

Battery life estimates dependent on active features and settings; results may vary. Extended service plans, product installation, and training services are available. Product design and price subject to change without notice. Patented; other patents pending. All trademarks and/or copyright materials are the property of their respective owners. © 2020 Gaumard Scientific. All Rights Reserved. MADE IN USA. 11190032C

