



EGG

Molecular Allergology



References

References related to egg components

Improved risk assessment with allergen components

1. Ando H, Moverare R, Kondo Y, Tsuge I, Tanaka A, Borres MP, Urisu A. Utility of ovomucoid-specific IgE concentrations in predicting symptomatic egg allergy. *J Allergy Clin Immunol* 2008;122:583–8
2. Lemon-Mule H, Sampson HA, Sicherer SH, Shreffler WG, Noone S, Nowak-Wegrzyn A. Immunologic changes in children with egg allergy ingesting extensively heated egg. *J Allergy Clin Immunol* 2008;122:977–83
3. Urisu A, Ando H, Morita Y, Wada E, Yasaki T, Yamada K, Komada K, Torii S, Goto M, Wakamatsu T. Allergenic activity of heated and ovomucoid-depleted egg white. *J Allergy Clin Immunol* 1997;100:171–6

Better characterization of egg allergic patients


4. Bernhisel-Broadbent J, Dintzis HM, Dintzis RZ, Sampson HA. Allergenicity and antigenicity of chicken egg ovomucoid (Gal d III) compared with ovalbumin (Gal d I) in children with egg allergy and in mice. *J Allergy Clin Immunol* 1994;93:1047–59
5. Montesinos E, Martorell A, Félix R, Cerdá JC. Egg white specific IgE levels in serum as clinical reactivity predictors in the course of egg allergy follow up. *Pediatr Allergy Immunol* 2010;21:634–639
6. Clarke AT, Skypala I, Leech SC, Ewan PW, Dugué P, Brathwaite N, Huber PAJ, Nasser SM. British Society for Allergy and Clinical Immunology guidelines for the management of egg allergy. *Clin Exp Allergy* 2010;40:1116–1129
7. Frémont S, Kanny G, Nicolas JP, Moneret-Vautrin DA. Prevalence of lysozyme sensitization in an egg-allergic population. *Allergy* 1997;2:224–228
8. Pérez-Calderón R, Gonzalo-Garijo MA, Lamilla-Yerga A, Mangas-Santos R, Moreno-Gastón I. Recurrent Angioedema Due to Lysozyme Allergy. *J Investig Allergol Clin Immunol* 2007;17(4):264–266

Improve patient management:

1. Ando H, Moverare R, Kondo Y, Tsuge I, Tanaka A, Borres MP, Urisu A. Utility of ovomucoid-specific IgE concentrations in predicting symptomatic egg allergy. *J Allergy Clin Immunol* 2008;122:583–8
4. Bernhisel-Broadbent J, Dintzis HM, Dintzis RZ, Sampson HA. Allergenicity and antigenicity of chicken egg ovomucoid (Gal d III) compared with ovalbumin (Gal d I) in children with egg allergy and in mice. *J Allergy Clin Immunol* 1994;93:1047–59
5. Montesinos E, Martorell A, Félix R, Cerdá JC. Egg white specific IgE levels in serum as clinical reactivity predictors in the course of egg allergy follow up. *Pediatr Allergy Immunol* 2010;21:634–639
9. Jarvinen KM, Beyer K, Vila L, Bardina L, Mishoe M, Sampson HA. Specificity of IgE antibodies to sequential epitopes of hen's egg ovomucoid as a marker for persistence of egg allergy. *Allergy* 2007;62:758–65
10. Benhamou AH, Caubet JC, Eigenmann PA, Nowak-Wegrzyn, Marcos CP, Reche M and Urisu A. State of the art and new horizons in the diagnosis and management of egg allergy. *Allergy* 2010; 65; 283–289

Did you know that?

6. Clarke AT, Skypala I, Leech SC, Ewan PW, Dugué P, Brathwaite N, Huber PAJ, Nasser SM. British Society for Allergy and Clinical Immunology guidelines for the management of egg allergy. *Clin Exp Allergy* 2010;40:1116–1129
7. Frémont S, Kanny G, Nicolas JP, Moneret-Vautrin DA. Prevalence of lysozyme sensitization in an egg-allergic population. *Allergy* 1997;2:224–228
10. Benhamou AH, Caubet JC, Eigenmann PA, Nowak-Wegrzyn, Marcos CP, Reche M and Urisu A. State of the art and new horizons in the diagnosis and management of egg allergy. *Allergy* 2010;65;283–289
11. Mine Y, Zhang JW. Comparative Study on Antigenicity and Allergenicity of native and denatured egg white proteins. *J Agric Food Chem* 2002;50:2679–2683
12. Everberg H, Brostedt P, Oman H, Bohman S, Movérare R. Affinity purification of egg-white allergens for improved component-resolved diagnostics. *Int Arch Allergy Immunol* 2011;154:33–41
13. Quirce S, Marañón F, Umpiérrez A, de las Heras M, Fernández-Caldas E, Sastre J. Chicken serum albumin (Gal d 5) is a partially heat-labile inhalant and food allergen implicated in the bird-egg syndrome. *Allergy*. 2001;56:754–62.



thermoscientific.com/phadia

© 2014 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific Inc. and its subsidiaries. Manufacturer; Phadia AB, Uppsala Sweden.

Thermo
SCIENTIFIC

A Thermo Fisher Scientific Brand

Distributed by Abacus dx

1800 ABACUS (AUS) 0800 222 170 (NZ) | info@abacusdx.com | www.abacusdx.com

abacus dx