

LIQUID LIPID CONTROL





LIQUID LIPID CONTROL

Delivering a true third party solution for a wide range of lipids, the new Acusera Liquid Lipid Control is designed to ensure an unbiased, independent assessment of analytical performance. The added advantage of liquid samples and a 30 day open vial stability keeps waste to a minimum while ensuring the control is easy and convenient to use. Three distinct levels are available covering low risk, borderline and high risk concentrations.



	• Liquid samples requiring minimal preparation	Analytes		
		Apolipoprotein A-1 Apolipoprotein B C-Reactive Protein (CRP)		
X	• 100% human serum ensuring a matrix similar to the patient sample	Cholesterol (HDL) Cholesterol (LDL) Cholesterol (Total)		
		Lipoprotein (a) Triglycerides		
0	Assayed target values provided	Description	Size	Cat. No.
		Liquid Lipid Control Level I	5 x 3 ml	LE10174
		Liquid Lipid Control Level 2	5 x 3 ml	LE10175
	• True third party control ensuring unbiased performance assessment	Liquid Lipid Control Level 3	5 x 3 ml	LE10176

 Stable to expiry date when stored at -20°C to -80°C with an open vial stability of 30 days at 2°C to 8°C

	У
	L
_	^

ACUSERA 24•7 Online QC software with real-time peer group statistics

Designed for use with the Acusera range of third party controls, the Acusera 24•7 software will help you monitor and interpret rour QC data. Access to an impressive range of features, including interactive charts, the automatic calculation of Measurement Jncertainty & Sigma Metrics and live peer group data generated from our extensive database of laboratory participants, ensures Acusera 24•7 is the most comprehensive package available.



RIQAS The largest international EQA scheme with over 45,000 lab participants

Comprising over 360 routine and esoteric parameters in 32 comprehensive and flexible EQA programmes, RIQAS is designed to cover all areas of clinical testing. Each programme benefits from a wide range of concentrations, frequent reporting and informative yet user-friendly reports.

