




i-Tracker

High performance TDM assays for biologics



- Innovative CLIA technology
- Short turnaround time
- Validated on princeps and biosimilars
- Calibrated against WHO international standards

Therapeutic Drug Monitoring (TDM) of biologics entails the measurement of drug and anti-drug antibody concentrations, with subsequent possible dose adjustment to ensure optimized dosing for the patient. With its high performance and short turn around time, i-Tracker CLIA kits in combination with i-Track¹⁰ random-access analyzer enable the clinician to take therapeutic decision in a timely manner. In giving access to rapid treatment adjustments, i-Tracker assays contribute to improve overall clinical outcomes for the patients while minimizing the cost of treatment.




High Performance assays to achieve excellence

- Innovative CLIA technology
- Quantitative measurement of drug and anti-drug antibodies
- First results in less than 35 minutes, 60 results/hour
- Full compatibility with i-Track¹⁰ random-access analyzer
- Standardization according to the NIBSC/WHO Infliximab (#16/170) and Adalimumab (#17/236) International standards
- Validated on principles and biosimilars
- Controls and calibrators included

Infliximab assay:



Anti-Infliximab assay:



Serum samples are diluted and added to the coated magnetic beads suspension. Analytes are detected using an Ester Acridinium conjugate (AE). Relative Light Emissions (RLU) are detected and quantified by i-Track¹⁰ chemiluminescent analyzer.

Measurement range

Infliximab	0.3-24 µg/mL	Anti-Infliximab	10-2000 ng/mL
Adalimumab	0.5-24 µg/mL	Anti-Adalimumab	10-2000 ng/mL
Vedolizumab	1-60 µg/mL	Anti-Vedolizumab	10-2000 ng/mL
Ustekinumab	100-10000 ng/mL	Anti-Ustekinumab	1-250 UA/mL
Golimumab	0.3-8 µg/mL	Anti-Golimumab	10-2000 ng/mL
Rituximab	0.3-50 µg/mL	Anti-Rituximab	5-2000 ng/mL



Reference	Designation	Packaging
CTx 002-50/100	i-Tracker Drug	50 / 100 tests
CTx 003-50/100	i-Tracker Anti-Drug	50 / 100 tests

x = Infliximab 100 tests / Adalimumab 100 tests / Vedolizumab 50 tests / Ustekinumab 50 tests / Golimumab 50 tests / Rituximab 50 tests

i-Tracker Infliximab validated on Infliximab principles Remicade® and Infliximab biosimilars SB2 (Flixabi®) and CT-P13 (Remsima® and Inflectra®)
i-Tracker Adalimumab Validated on Adalimumab principles Humira® and Adalimumab biosimilars ABP 501 (Amgevita®) and SB5 (Imraldi®)

IMMUNO-TROL Internal Quality Control

A range of ready-to-use, internal Quality Control sera, CE marked, dedicated to the pharmacological dosage of biotherapies

Reference	Designation	Packaging
CTx 002-PC	Immuno-Trol i-Tracker Drug: Positive control two levels	2 x 500 µl
CTx 003-PC	Immuno-Trol i-Tracker Anti-Drug: Positive control two levels	2 x 1,5 ml

x = Infliximab / Adalimumab / Vedolizumab / Ustekinumab / Golimumab / Rituximab



14 rue Ambroise Croizat
77183 Croissy Beaubourg
France

Phone : +33 (0) 1 64 62 10 12
Fax : +33 (0) 1 64 62 09 66
info@theradiag.com
www.theradiag.com



Read carefully the instruction for use of the product insert before use. Pictures may differ from actual products.